

Dated: 17.03.2026

To,

The Environmental Engineer,
Punjab Pollution Control Board,
RO Amritsar, Punjab.

Sub – Submission of Annual Bio-Medical waste Report for the Year 2025
(1.1.2025 to 31.12.2025)

Dear Sir,

Please Find enclosed Annual Bio Medical Waste Report for the year 2025 with enclosures mentioned below.

1. Annual Report - Form IV
2. Accident Report - Form I
3. BMW Committee - Minutes of Meeting
4. Generated Waste Annual Records 2025

With Best Regards

Authorized Signatory



Mr. Yogesh Joshi – Facility Director
International Hospitals Limited
(Fortis Escorts Hospital)
(Previously Name M/S Escorts Heart & Super Specialty Institute Limited)
Majitha -Verka Bypass Road , Amritsar -143004 Punjab



International Hospital Limited

CIN: U74999HR1994PLC048225

Registered office: Fortis Memorial Research Institute, Sector 44, Gurgaon - 122002 (India)

Tel.: +91-124-438 6666, Fax: +91-124-496 2222



Form - IV
(See rule 13)
ANNUAL REPORT

[To be submitted to the prescribed authority on or before 30th June every year for the period from January to December of the preceding year, by the occupier of health care facility (HCF) or common bio-medical waste treatment facility (CBWTF)]

Sl. No.	Particulars		
1.	Particulars of the Occupier	:	
	(i) Name of the authorised person (occupier or operator of facility)	:	MR. Yogesh Joshi
	(ii) Name of HCF or CBMWTF	:	International Hospital LTD
	(iii) Address for Correspondence	:	Majitha Venka Bypass Road
	(iv) Address of Facility	:	Amritsar -143004 (PB)
	(v) Tel. No, Fax. No	:	0183 - 503 2222
	(vi) E-mail ID	:	yogesh.joshi@foxithealthcare.com
	(vii) URL of Website	:	http://cms.foxithealthcare.com
	(viii) GPS coordinates of HCF or CBMWTF	:	CBMWTF ✓
	(ix) Ownership of HCF or CBMWTF	:	(State Government or Private or Semi-Govt. or any other)
	(x). Status of Authorisation under the Bio-Medical Waste (Management and Handling) Rules	:	Authorisation No.: BMW/Renewal/ASR/2023..... 21553031.....valid up to 31/3/28
	(xi). Status of Consents under Water Act and Air Act	:	Valid up to: 31/3/28
2.	Type of Health Care Facility	:	
	(i) Bedded Hospital	:	No. of Beds: 175
	(ii) Non-bedded hospital	:	
	(Clinic or Blood Bank or Clinical Laboratory or Research Institute or Veterinary Hospital or any other)	:	
	(iii) License number and its date of expiry	:	BMW/Renewal/ASR/2023/21553031/31-3-28
3.	Details of CBMWTF	:	- N.A -
	(i) Number healthcare facilities covered by CBMWTF	:	/
	(ii) No of beds covered by CBMWTF	:	/
	(iii) Installed treatment and disposal capacity of CBMWTF:	:	_____ Kg per day /



Yogesh Joshi

	(iv) Quantity of biomedical waste treated or disposed by CBMWTF	:	_____ Kg/day																																																
4.	Quantity of waste generated or disposed in Kg per annum (on monthly average basis)	:	Yellow Category : 1840.63 Red Category : 2838.58 White: 42.10 Blue Category : 1464.47 General Solid waste: 4358.41																																																
5	Details of the Storage, treatment, transportation, processing and Disposal Facility																																																		
	(i) Details of the on-site storage facility	:	Size : _____ Capacity : _____ Provision of on-site storage : (cold storage or any other provision)																																																
	(ii) Details of the treatment or disposal facilities	:	<table border="1"> <thead> <tr> <th>Type of treatment equipment</th> <th>No of units</th> <th>Capacity Kg/day</th> <th>Quantity treated or disposed in kg per annum</th> </tr> </thead> <tbody> <tr> <td>Incinerators</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Plasma Pyrolysis</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Autoclaves</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Microwave</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Hydroclave</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Shredder</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Needle tip cutter or destroyer</td> <td></td> <td></td> <td>-</td> </tr> <tr> <td>Sharps encapsulation or concrete pit</td> <td></td> <td></td> <td>-</td> </tr> <tr> <td>Deep burial pits:</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Chemical disinfection:</td> <td></td> <td></td> <td>-</td> </tr> <tr> <td>Any other treatment equipment:</td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Type of treatment equipment	No of units	Capacity Kg/day	Quantity treated or disposed in kg per annum	Incinerators				Plasma Pyrolysis				Autoclaves				Microwave				Hydroclave				Shredder				Needle tip cutter or destroyer			-	Sharps encapsulation or concrete pit			-	Deep burial pits:				Chemical disinfection:			-	Any other treatment equipment:			
Type of treatment equipment	No of units	Capacity Kg/day	Quantity treated or disposed in kg per annum																																																
Incinerators																																																			
Plasma Pyrolysis																																																			
Autoclaves																																																			
Microwave																																																			
Hydroclave																																																			
Shredder																																																			
Needle tip cutter or destroyer			-																																																
Sharps encapsulation or concrete pit			-																																																
Deep burial pits:																																																			
Chemical disinfection:			-																																																
Any other treatment equipment:																																																			
	(iii) Quantity of recyclable wastes sold to authorized recyclers after treatment in kg per annum.	:	Red Category (like plastic, glass etc.) _____																																																
	(iv) No of vehicles used for collection and transportation of biomedical waste	:	_____																																																
	(v) Details of incineration ash and ETP sludge generated and disposed	:	<table border="1"> <thead> <tr> <th>Quantity generated</th> <th>Where disposed</th> </tr> </thead> <tbody> <tr> <td></td> <td></td> </tr> </tbody> </table>	Quantity generated	Where disposed																																														
Quantity generated	Where disposed																																																		

G. G. G. G.



	during the treatment of wastes in Kg per annum	Incineration Ash ETP Sludge
	(vi) Name of the Common Bio-Medical Waste Treatment Facility Operator through which wastes are disposed of	M/S Amritbase EnviroCare System Pvt Ltd, Village Ibban Kalan Chabhal Road, Amrit base 143004
	(vii) List of member HCF not handed over bio-medical waste.	—
6	Do you have bio-medical waste management committee? If yes, attach minutes of the meetings held during the reporting period	Yes Bio medical waste MOM Attached
7	Details trainings conducted on BMW	—
	(i) Number of trainings conducted on BMW Management.	215 (ON Roll & Contractual employees)
	(ii) number of personnel trained	870 NOS
	(iii) number of personnel trained at the time of induction	315 NOS
	(iv) number of personnel not undergone any training so far	—
	(v) whether standard manual for training is available?	Yes
	(vi) any other information)	—
8	Details of the accident occurred during the year	
	(i) Number of Accidents occurred	nil
	(ii) Number of the persons affected	nil
	(iii) Remedial Action taken (Please attach details if any)	nil
	(iv) Any Fatality occurred, details.	- N.A -
9.	Are you meeting the standards of air Pollution from the incinerator? How many times in last year could not met the standards?	Yes
	Details of Continuous online emission monitoring systems installed	Standard maintained as per norms
10	Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year?	Yes treatment method in place as per norms
11	Is the disinfection method or sterilization meeting the log 4	Standard maintained as per norms

Gagan Singh



	standards? How many times you have not met the standards in a year?		
12	Any other relevant information	:	(Air Pollution Control Devices attached with the Incinerator)

Certified that the above report is for the period from

1/1/2025 To 31/12/2025

.....

Name and Signature of the Head of the Institution



Date: 17/3/2026
 Place: Ameitson

Handwritten signature

FORM – I
[(See rule 4(o), 5(i) and 15 (2))]

ACCIDENT REPORTING

1. Date and time of accident :
2. Type of Accident :
3. Sequence of events leading to accident :
4. Has the Authority been informed immediately :
5. The type of waste involved in accident :
6. Assessment of the effects of the accidents on human health and the environment:
7. Emergency measures taken :
8. Steps taken to alleviate the effects of accidents :
9. Steps taken to prevent the recurrence of such an accident :

10. Does your facility has an Emergency Control policy? If yes give details:

In our hospital we have an emergency rescue team and hazardous material handling team to handle any kind of emergency with security and safety compliance

Date : ...17/3/2024.....

Place: ...Amritsar.....

Signature

Designation



Garg

Annexure - 1

Name of the Hospital - International Hospital Limited (Fortis Escorts Hospital)

Address of the Hospital - Majitha – Verka Bypass Road, Amritsar – 143001, Punjab.

Year - 1.1.2025 to 31.12.2025

Details of Generated Waste, Category Wise (In Kgs)

		FY 2025											
Month	Year	Yellow-		Red Autoclave		Blue Autoclave		White- Sharp		Yellow Cytotoxic		Total Bags	Total Weight (In KG's)
		No. of Bags	Weight (in KG's)	No. of Bags	Weight (in KG's)	No. of Bags	Weight (in KG's)	No. of Bags	Weight in KG's	No. of Bags	Weight (in KG's)		
Jan	2025	536	1821.64	658	2898.05	208	1495.13	26	38.98	25	93.01	1453	6346.81
Feb	2025	497	1859.62	612	2779.10	198	1433.81	26	45.22	24	94.92	1357	6212.68
Mar	2025	508	1921.24	633	3021.18	200	1554.77	14	24.20	25	93.13	1380	6614.52
Apr	2025	510	1876.47	610	2881.72	204	1515.10	32	55.91	26	108.03	1382	6437.23
May	2025	519	1949.21	622	2996.38	217	1539.98	33	49.92	27	85.82	1418	6621.31
Jun	2025	499	2043.40	616	2962.98	199	1443.18	37	63.53	24	89.54	1375	6602.61
Jul	2025	535	2364.72	659	3289.74	216	1578.00	16	32.73	27	96.93	1453	7362.11
Aug	2025	538	2132.08	645	3274.00	211	1577.13	35	61.44	26	87.89	1455	7132.53
Sep	2025	545	2266.00	627	3099.24	195	1613.90	33	66.32	25	86.40	1425	7131.85
Oct	2025	566	2148.45	644	3054.92	195	1428.41	24	37.05	25	94.06	1454	6762.89
Nov	2025	535	2150.14	632	2900.64	172	1567.63	22	42.43	26	105.97	1387	6566.80
Dec	2025	556	2166.79	677	3024.64	206	1488.53	31	55.89	26	82.71	1496	6818.55
Total		6344.00	24699.75	7635.00	36182.58	2421.00	18035.55	329.00	573.61	306.00	1118.40	17035.00	80609.88
Average / Month		517	2058.31	635	3015.21	203	1502.96	26	47.80	25	93.20	17035	80609.88

After generation, segregation, collection & storage of bio-medical waste, handed over to authorized outsourced agency M/S Amritsar Envirocare Systems (P) Limited, Village Ibban Kalan, Chabhal Road, Amritsar for treatment and disposable norms as per PPCB.



Handwritten signature



International Hospital Limited

CIN: U74999HR1994PLC048225

Registered office: Fortis Memorial Research Institute, Sector 44, Gurgaon - 122002 (India)

Tel.: +91-124-438 6666, Fax: +91-124-496 2222

MINUTES OF MEETING

NAME OF UNIT – Fortis Escorts Hospital Amritsar

NAME OF COMMITTEE: BIOMEDICAL WASTE COMMITTEE

- Date & Time: 05, MARCH, 2025 (02:00pm – 2:30 pm)
- Total no. of Members in the committee: 11
- Number of members attended : 10
- Chairman, convener & Mandatory Members present (Yes/No): Yes
- Details of essential members who neither attended nor sent a representative: None
- Agenda circulated prior to meeting (Yes/No): Yes
- Discussion on Action Taken Report on action items / recommendations from previous meeting (Yes/No) : Yes
- Details of action items open from previous meeting :

S NO.	Action Item	Responsibility	Expected Closure Date	Inter dependencies	Current Status
1	BMW mixing found in Some Areas.	Area In charge, ICN, Nursing educator	1 week	ICN, DCON	On Going

Details of action items open from previous two meetings: No;


Summary of discussion on reports/ documents of all Agenda items presented

- Visited the outsourced BMW treatment plant at Iban Kalan on 25.09.2024.


Guidelines and responsibilities:

Sr.no.	Action Item	Responsibility	Expected Closure Date	Inter dependencies
1.	Transportation of BMW without dustbin.	H.K supervisor	Immediate	H.K Head, ICN
2.	Mixing of dry and wet waste in kitchen.	Kitchen head, Kitchen supervisor	Immediate	Kitchen supervisor

Discussion on Reports / documents of all essential Agenda items presented.- Yes
Signature of Chairman and Convener


(Dr. Romy)
Chairman




(Dr. Rajiv Tiwari)
Secretary

MINUTES OF MEETING

NAME OF UNIT – Fortis Escorts Hospital Amritsar

NAME OF COMMITTEE: BIOMEDICAL WASTE COMMITTEE

- Date & Time: 06, September ,2025 (02:00pm – 2:30 pm)
- Total no. of Members in the committee:11
- Number of members attended : 10
- Chairman, convener & Mandatory Members present (Yes/No): Yes
- Details of essential members who neither attended nor sent a representative: None
- Agenda circulated prior to meeting (Yes/No): Yes
- Discussion on Action Taken Report on action items / recommendations from previous meeting (Yes/No) : Yes
- Details of action items open from previous meeting :

S NO.	Action Item	Responsibility	Expected Closure Date	Inter dependencies	Current Status
1	Transportation of BMW without dustbin.	H.K supervisor	Immediate	H.K Head, ICN	Done
2	Mixing of dry and wet waste in kitchen	Kitchen head, Kitchen supervisor	Immediate	Kitchen supervisor	Done

Details of action items open from previous two meetings: No;

Summary of discussion on reports/ documents of all Agenda items presented


- Visited the outsourced BMW treatment plant at Iban Kalan on 25.09.2024.

Guidelines and responsibilities:


Sr.no.	Action Item	Responsibility	Expected Closure Date	Inter dependencies
1.	Regarding PPE usage while handling central BMW	H.K supervisor	1 Week	H.K Head, ICN
2.	Regarding sharp and guide wire disposal in areas.	H.K supervisor	1 Week	H.K Head, ICN

Discussion on Reports / documents of all essential Agenda items presented.- Yes

Signature of Chairman and Convener


(Dr. Romy)
Chairman




(Dr. Rajiv Tiwari)
Secretary