

PUNJAB STATE POLLUTION CONTROL BOARD

Form IV (See Rule 13) ANNUAL REPORT

[To be submitted to the prescribed authority on or before 30th June every year for the period from January to December of the preceding year, by the occupier health care facility(HCF), or common bio-medical waste treatment facility (CBWTF)]

Return No: 21051467 Period: 2022

Return No. 21031407	1 c110d . 2022
1. Particulars of the Occupier	
(i) Name of the authorized person (Occupier or operator of facility):	VIKRAM AGGARWAL
(ii) Name of HCF or CBMWTF:	International Hospital Limited (Previously Name M/s Escorts Heart & Super Speciality Institute Ltd.)
(iii) Address for Correspondence:	international hospital ltd., (previously name M/s Escorts Heart & Super Specialty Institute Ltd.,) majitha Verka byepass, Amritsar
(iv) Address of Facility:	Majitha Verka By Pass, Amritsar.
(v) Tel. No.:	9717399801
(vi) Fax. No.:	0183 - 3012200
(vii) E-mail ID:	vikram.aggarwal@fortishealthcare.com
(viii) URL of Website:	
(ix) GPS coordinates of HCF of CBMWTF:	
(x) Ownership of HCF or CBMWTF:	Private
(xi) Status of Authorization under the BMW (Managementand Handing) Rules:	Authorization No.: BMW/Renewal/ASR/2018/7876895 Valid Upto: 31/03/2023
(xii) Status of Consents under Water Act and Air Act.:	Valid Upto: 31/03/2023
2. Type of Health Care Facility	
HCF/CBMWTF Type:	HCF '
(i) No. of Beds(for Bedded Hospital):	175.0
(ii) Non-Bedded Hospital (Clinic or Blood Bank or Clinical Laboratory or Research Institute or Veterinary Hospital or any other):	Select
(iii) Licence Number:	7876895
(iv) Licence date of expiry:	31/03/2023
3. Quantity of waste generated or disposed in Kg per annum (on monthly average basis)	Yellow Category: 1566.65 Red Category: 2383.160 White Category: 37.692 Blue Category: 1196.122 General Solid Waste: 12702
4. Details of the Storage, Treatment, Transportation, Process	ssing and Disposal Facility Details
(i) Details of the on-site storage facility:	Size: 2 Capacity: 2 Provision of on-site storage:

(ii) Disposal Facility:		Type of Treatmen t Equipmen t	Number of Units		Quantity Treated or Disposed(Kg/annu m)
(iii) Quantity of recyclable wastes sold to authorized recyclers after treatment in kg per annum:	0.0				
(iv) No of vehicles used for collection and transportation of BMW:	0010				The Man
(v) Details of incineration, ash and ETP sludge generated, disposal during the treatment of wastes in Kg per annum		Type of wa	iste Qi Ge	nerated	Where disposal
(vi) Name of the Common BMW Treatment Facility Operator through which wastes are disposed of:	Amrii	tsar Enviro-co	are Systems	s Pvt. Ltd., Am	ritsar
5. Do you have BMW management committee:	yes			ACTION IN	
details:					
6. Training Conducted on BMW Details		the second		94 LVL	
(i) Number of training conducted on BMW Management:	213				
(ii) Number of personnel trained:	922		11/2		200
(iii) Number of personnel trained at the time of induction:	303	14 15			The state of the s
(iv) Number of personnel not undergone any training so far:					
(v) Whether standard manual for training is available:	yes				MED M
(vi) Any other information:			Wy Person	The Total	
7. Details of the accident occurred				一年 大学	
(i) No. of accident occurred:	0	HE SHOW			
(ii) Number of the persons affected:	0				Auton Au
(iii) Remedial Action taken:					
(iv) Any Fatality occurred, details:					
8. Are you meeting the standards of air Pollution from the incinerator?. How many times in last year could not met the standards?:	200				
Details of Continuous online emission monitoring systems installed:	Yes		1		
9. Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year:	Yes				
10. Is the disinfection method or sterilization meeting the log for standards? How many times you have not met the standards in a year?:					
11. Any other relevant information:					

Name and Signature of the Head of the Institution

Date:02/02/2023
Place: AMRITSAR



Majitha Verka Bypass Road Amritsar 143004 Punjab Tel: +91-183-3012222, 6662222

Dated: 19.01.2023

To,

The Environmental Engineer, Punjab Pollution Control Board, RO Amritsar, Punjab.

Sub – Submission of Annual Bio-Medical waste Report for the Year 2022 (1.1.2022 to 31.12.2022)

Dear Sir,

Please Find enclosed Annual Bio Medical Waste Report for the year 2022 with enclosures mentioned below.

1. Annual Report

- Form IV

2. Accident Report

- Form I

- 3. Generated Waste Annual Records 2022
- 4. BMW Committee -Minutes of meeting

With Best Regards

Authorized Signatory

Dr. Vikram Aggarwal - Facility Director

International Hospitals Limited

(Fortis Escorts Hospital)

(Previously Name M/S Escorts Heart & Super Specialty Institute Limited)

Majitha - Verka Bypass Road, Amritsar - 143004 Punjab

Blank

International Hospital Limited

CIN: U74999HR1994PLC048225

Registered office: Fortis Memorial Research Institute, Sector 44, Gurgaon - 122 002 (India)

Tel.: +91-124-438 6666, Fax: +91-124-496 2222

Form – IV (See rule13) ANNUAL REPORT

[To be submitted to the prescribed authority on or before 30th June every year for the period from January to December of the preceding year, by the occupier of health care facility (HCF) or common bio-medical waste treatment facility (CBWTF)]

1.			
	Particulars		
	Particulars of the Occupier		
	(i) Name of the authorised person (occupier or : operator of facility)	:	Dr. Vikram Aggarwal
300	(ii) Name of HCF or CBMWTF	:	International Hospital Hd
	(iii) Address for Correspondence	:	International Hospital Hd Majotha Verka by Pas Roa
	(iv) Address of Facility		Amrilcar-143004 (PB
	(v)Tel. No, Fax. No	:	0183-5032222
	(vi) E-mail ID	:	Vikoam. aggarwal@ fory
	(vii) URL of Website (viii) GPS coordinates of HCF or CBMWTF		http://cms/foodishealthc
			CBMWTP
	(ix) Ownership of HCF or CBMWTF	:	(State_Government or Private or Semi Govt. or any other)
	(x). Status of Authorisation under the Bio-Medical Waste (Management and Handling) Rules		Authorisation No.: Bmw/Renewal/Ass/2018 78.76.89. Svalid up to 31-03-20
	(xi). Status of Consents under Water Act and Air Act	:	Valid up to: 31.3.2023 (Water and Air Consum
2.	Type of Health Care Facility	:	
	(i) Bedded Hospital	:	No. of Beds: 175

Prom

1911/23



	Clinic or Blood Bank or Clinical y Research Institute or Veterinary Hospital or other)	or			
	(iii) License number and its date of expiry			BMW/Renewal/ASD/2013 7876895 Valid +11131/3	8
3.	Details of CBMWTF			W. A	
	(i) Number healthcare facilities covered CBMWTF	l by :	920		
	(ii) No of beds covered by CBMWTF				
	(iii) Installed treatment and disposal capacit of CBMWTF:	ty :		Kg per day	
	(iv) Quantity of biomedical waste treated or disposed by CBMWTF			Kg/day	
4.	Quantity of waste generated or disposed in Kg	per :		Yellow Category : 1566.61 S	- K
	annum (on monthly average basis)			Red Category : 2383, 160 Kg	
				White: 37,692 kg.	
				Blue Category: 1196.122 129.	
				General Solid waste: 12702 Kg.	
5	Details of the Storage, treatment, transportation	n, proce	essir	ng and Disposal Facility	
	(i) Details of the site storage : Six	ze	:		
	facility	apacity	:		
		ovision y other		on-site storage : (cold storage or vision)	

J. Johnson

disposal facilities		Type of treatment equipment	No of unit	Cap acit y	Quantity treatedo r	
			S	Kg/ day	disposed in kg per	
		Incinerators Plasma Pyrolysis Autoclaves Microwave Hydroclave Shredder			annum	
		Needle tip cutter or destroyer Sharps encapsulation or concrete pit Deep burial pits: Chemical disinfection: Any other treatment		- /- -		
		equipment:				
(iii) Quantity of recyclable wastes sold to authorized recyclers after treatment in kg per annum.	:	equipment: Red Category (like pla	stic, gla	ss etc.)		
sold to authorized recyclers after	:	Red Category (like pla				
sold to authorized recyclers after treatment in kg per annum. (iv) No of vehicles used for collection and transportation of biomedica	:	Qua gen- Incineration Ash ETP Sludge	ntity	W	There sposed	
sold to authorized recyclers after treatment in kg per annum. (iv) No of vehicles used for collection and transportation of biomedica waste (v) Details of incineration ash and ETP sludge generated and disposed during the treatment of wastes in Kg	:	Qua gen Incineration Ash	ntity erated ay &	W die	There sposed To Care Sy l - 1669nk	alg
sold to authorized recyclers after treatment in kg per annum. (iv) No of vehicles used for collection and transportation of biomedical waste (v) Details of incineration ash and ETP sludge generated and disposed during the treatment of wastes in Kg per annum (vi) Name of the Common Bio-: Medical Waste Treatment Facility Operator through which wastes are	:	Quagen Incineration Ash ETP Sludge M/s Amrits Private Crmits	ntity erated ay &	W die	There sposed To Care Sy l - 1669nk	alg
sold to authorized recyclers after treatment in kg per annum. (iv) No of vehicles used for collection and transportation of biomedical waste (v) Details of incineration ash and ETP sludge generated and disposed during the treatment of wastes in Kg per annum (vi) Name of the Common Bio-: Medical Waste Treatment Facility Operator through which wastes are disposed of (vii) List of member HCF not handed		Quagen Incineration Ash ETP Sludge M/s Amrits Private Crmits	ntity erated	W dis	There sposed TO CATE SY R - 16697 K SAY - 143	004

+ 03

of Shaw

1	(ii) number of personnel trained		922 M,
	(iii) number of personnel trained at the time of induction		303 NO,
1	(iv) number of personnel not undergone any training so far		
	(v) whether standard manual for training is available?		- yes -
1	(vi) any other information)		
	Details of the accident occurred during the year		
	(i) Number of Accidents occurred		NI
	(ii) Number of the persons affected		Nr'/
Name of	(iii) Remedial Action taken (Please attach details if any)		NII
	(iv) Any Fatality occurred, details.		N. A
).	Are you meeting the standards of air Pollution from the incinerator? How many times in last year could not met the standards?		Standard maintained as per Norms.
	Details of Continuous online emission monitoring systems installed		Standard Maintained as per
10	Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year?		Liquid waste genrated and treatment method in place on per Norms.
11	sterilization meeting the log 4 standards? How many times you have not met the standards in a year?		Standard maindanced 182 pr
12	i ii Ctiom	:	(Air Pollution Control Devices attached with the Incinerator)

Certifie	ed that the above report is for the period from	1.1.2022 To 31.12.2022
		Name and Signature of the Head of the Institution
Date: Place	19.01.2023 Amonts ar.	AN ONE

of Frank

FORM – I [See rule 4(o), 5(i) and 15(2)]

ACCIDENT REPORTING

1.	Date and time of accident	:	Nol	
2.	Type of Accident	:	Nil	
3.	Sequence of events leading to accident	:		
4.	Has the Authority of been informed immediate	ely:	_	
5.	The type of waste involved in accident	:	_	
6.	Assessment of the effects of the accidents on human health and the environment		_	
7.	Emergency measures taken	:		
8.	Steps taken to alleviate the effects of accidents	s :	_	
9.	Steps taken to prevent the recurrence of such an accident	1		
Da	Does you facility has Emergency Control politifyes, give details Resclutioner at to deal only ate: 19,01.2023 Amnt Sor.	cy? Our mid Mag Kind a	Signature :	hondrey treater of 400 the South ord Security Director Do Vikram Aggan

Harem





ANNEXURE-1

Name of the Hospital : International Hospital Limited (Fortis Escorts Hospital)

Address of the Hospital: Majitha -Verka by Pass Road, Amritsar -143004, Punjab

Year (2022)


: 1.1.2022 To 31.12.2022

Details of category wise, Biomedical Waste. (Kg.)

Category No.	Weight of Yellow Bags	Weight of Red Bags	Weight of Cardboard Box (Blue)	Weight of Sharp Container (White)	Liquid waste (liters)
Month			and the state of the		
January	2066.68	2592.71	1131.14	35.11	1203
February	1467.48	2521.29	1052.13	29.64	2449
March	1582.825	3126.08	1241.8	30.385	2953.5
April	1461.225	3018.645	1201.39	40.895	2933.5
May	1651.14	3248.185	1300.11	29.505	2985
June	1285.24	2317.303	1109.223	33.434	2835.5
July	1491.72	3104.78	1212.6	34.76	2852.5
August	1563.92	2866.75	1175.73	48.11	2788.5
September	1599.64	3014.16	1290.1	37.84	2726.5
October	1419.57	2826.97	1161.44	48.6	2828
November	1615.68	2906.12	1206.23	46.61	2790.5
December	1594.26	3054.93	1271.58	37.42	2937.5
Total - 12 Month	18799.38	34597.923	14353.473	452.309	32283
Monthly Average	1566.615	2883.160	1196.122	37.692	2690.25
Annual Average	51.505	94.788	39.324	1.239	88.45


After generation, Segregation, collection & Storage of Bio-Medical waste, handed over to Authorized outsourced Agency M/s Amritsar Envirocare systems (P) Limited .Village Ibban Kalan, Chabhal Road, Amritsar for treatment & disposal as per PPCB Norms.





CIN: U74999HR1994PLC048225

Registered office: Fortis Memorial Research Institute, Sector 44, Gurgaon - 122 002 (India)
Tel.: +91-124-438 6666, Fax: +91-124-496 2222



MINUTES OF MEETING

NAME OF UNIT - Fortis Escorts Hospital Amritsar

NAME OF COMMITTEE: BIOMEDICAL WASTE COMMITTE

- Date & Time: 07,SEPTEMBER, 2022 (01:00pm 1:30 pm)
- Total no. of Members in the committee:11
- Number of members attended: 10
- Chairman, convener & Mandatory Members present (Yes/No): Yes
- Details of essential members who neither attended nor sent a representative: None
- Agenda circulated prior to meeting (Yes/No): Yes
- Discussion on Action Taken Report on action items / recommendations from previous meeting (Yes/No):

S NO.	Action Item	Responsibility	Expected Closure	Inter dependencies	Current
1	Discussed with House keeping head about big containers of sharps for long stylets.	House keeping head , Area incharge. Purchase	Date 15 Days	ICN, DCON	Status
2	Visited the outsourced BMW treatment plant at Iban Kalan on 27.02.2022.	head. Head housekeeping /ICN		ICO	
	New chairperson introduced : Dr. Romy is reappointed as chairperson of the BMW committee .	ICO, Quality			

Details of action items open from previous two meetings: No;

Summary of discussion on reports/ documents of all Agenda items presented

- Visited the outsourced BMW treatment plant at Iban Kalan on 27.02.2022.
- Regarding big containers for sharp items.
- Introduction of new chairman.

Guidelines and responsibilities:

ι.	Discussed with House keeping head about	Responsibility	Expected Closure Date	Inter dependencies
	big containers of sharps for long stylets.	House keeping head, Area incharge.	15 Days	ICN
		Punchase head.		

BMW mixing in all critical areas.

Area In charge, ICN

GDA /H.k Supervisor

Discussion on Reports / documents of all essential Agenda items presented.- Yes Signature of Chairman and Convener

(Dr. Romy)'

(Dr. Rajiv Tiwari) Secretary

WOLF AND STATE OF THE PARTY OF

MINUTES OF MEETING

NAME OF UNIT - Fortis Escorts Hospital Amritsar

NAME OF COMMITTEE: BIOMEDICAL WASTE COMMITTE

- Date & Time: 14, March ,2022 (01:00pm 1:30 pm)
- Total no. of Members in the committee:11
- Number of members attended: 10
- Chairman, convener & Mandatory Members present (Yes/No): Yes
- Details of essential members who neither attended nor sent a representative: None
- Agenda circulated prior to meeting (Yes/No): Yes
- Discussion on Action Taken Report on action items / recommendations from previous meeting (Yes/No):
- Details of action items open from previous meeting:

S NO.	Action Item	Responsibility	Expected Closure	Inter dependencies	Current
1	New chairperson introduced: Dr. L.K.Verma is appointed a chairperson of the committee.	ICO , Head housekeeping	Date Immediate	MS	DONE.
	Visited the outsourced BMW treatment plant at Iban Kalan on 31.08.2021.	Head housekeeping /ICN		ICO	-

Details of action items open from previous two meetings: No;

Summary of discussion on reports/ documents of all Agenda items presented

- Visited the outsourced BMW treatment plant at Iban Kalan on 27.02.2022. Regarding big containers for sharp items.
- Introduction of new chairman.

Guidelines and responsibilities:

Sr.no.	Action Item	Responsibility	Expected	Inter
1	Discussed with House keeping head about		Closure Date	dependencies
	big containers of sharps for long stylets.	head , Area	15 Days	ICN, DCON
2.	Visited the outsourced BMW treatment plant at Iban Kalan on 27.02.2022.	incharge. ICO, HEAD HOUSEKEEPING, HEAD QUALITY, ICN.		



3.	New chairperson introduced : Dr. H.P.	ICO, Quality.	
	Singh is reappointed as chairperson of the		
	BMW committee .		

Discussion on Reports / documents of all essential Agenda items presented.- Yes Signature of Chairman and Convener

(Dr. Romy)
Chairman

(Dr. Rajiv Tiwari) Secretary